

## Fizzian Laboratory Management Services (Fizzian LMS) Proficiency Testing Checklist

Updated: Dec. 11, 2016

## **42 CFR 493 Laboratory Requirements**

## **Subpart H Participation in Proficiency Testing for Laboratories Performing Nonwaived Testing**

	Instructions	Notes: (Pass/Fail)
Enrollment in Proficiency Testing (PT) Program		
1.	List all the PT program/s the lab is enrolled in and the analytes/tests in each	
	specialty and subspecialty under each program. (Use separate sheet.)	
2.	Did the Lab participate in its PT program/s for at least one year?	
3.	Did the Lab switch to a new PT program on any of its specialties or subspecialties? If	
	so, was Centers for Medicare and Medicaid services (CMS) notified?	
4.	List all the analytes/tests performed in the lab. (Use separate sheet.)	
5.	Compare items listed in 1 and 4. Are all analyte/tests performed in the Lab	
_	submitted to a PT program?  If not, are the analytes/tests excluded in I42CFR493 or not covered by CMS CLIA-	
5a.	approved PT providers?	
5b.	Are the analytes/tests verified twice a year for accuracy?	
6.	Did the Lab successfully participate in all of its PT programs?	
Routine Processing of PT Samples		
7.	Select 5 PT samples from different specialties to review	
'.	be more than 6 months old.)	
8.	Were the samples treated as patients?	
9.	Entered to LIS system and given	
10.	Sample processed into re	
11.	Sample tested as in sonnel.	
12.	Results recor	
13.		
13.	Sample Mysis regardless of any reflex testing.	
Docu		
14.	ne same as results documented in patient testing	
15.	Dir nel who tested the sample/s signed the attestation sheet.	
16.	Evide Interent qualified personnel testing PT samples in each specialty and	
	subspecialty.  Copy of patient testing record of each sample included in file. (Records are kept for	
17.	a minimum of 2 years.)	
Evalu	ation of PT Samples	
18.	Results of PT samples were reviewed, evaluated, verified and documented.	
19.	Are there any analytes, specialties or subspecialties assigned a PT score that did not	
19.	reflect laboratory test performance, received a zero score for nonparticipation, had	
	a late return of results or otherwise, failed?	
20.	If so, were these analytes verified for accuracy?	
۷٠.	,	© Fizzion 2017